

Message

From: Ephi Gur [Ephi_Gur@egrci.com]
Sent: 11/14/2018 1:26:15 PM
To: Odusote, Gloria [odusote.gloria@epa.gov]
Subject: RE: PMN 18-281

Thanks again,

Ephi

Ephi Gur
Ephi_Gur@EGRCI.com
Phone : +1 919 412 3061



From: Odusote, Gloria [mailto:odusote.gloria@epa.gov]
Sent: Wednesday, November 14, 2018 6:23 AM
To: Ephi Gur <Ephi_Gur@egrci.com>
Subject: RE: PMN 18-281

No problem. I can promise you that you are not the first person. Also, while reviewing your engineering report, I noticed a few things that I wanted to discuss with the engineer. I will still send you the current copy so we can keep the ball rolling on your end but there might be some other changes to the report happening concurrently.

Best,
Gloria

From: Ephi Gur <Ephi_Gur@egrci.com>
Sent: Wednesday, November 14, 2018 8:07 AM
To: Odusote, Gloria <odusote.gloria@epa.gov>
Subject: RE: PMN 18-281

Sure...sorry about that.

732 873 3203

Thanks again.

Ephi

Ephi Gur

Ephi_Gur@EGRCI.com
Phone : +1 919 412 3061



From: Odusote, Gloria [<mailto:odusote.gloria@epa.gov>]
Sent: Wednesday, November 14, 2018 5:51 AM
To: Ephi Gur <Ephi_Gur@egrci.com>
Subject: RE: PMN 18-281

Hi Ephi,
Thank you. It will take about a week to get your sanitized documents to you. At that time, I can send the fax to the facility in NJ. Do you have the number?

Best,
Gloria

From: Ephi Gur <Ephi_Gur@egrci.com>
Sent: Tuesday, November 13, 2018 12:57 PM
To: Odusote, Gloria <odusote.gloria@epa.gov>
Subject: PMN 18-281

Dear Gloria,

Thanks for calling me today and suggesting to fax us the engineering report for our review. The finance department at our facility in NJ have a working fax that they maintain and is secure. If you could fax the report to them for the attention of Laura Gubernot that would be highly appreciated.

Thanks and please let me know if you need any additional information.

Ephi Gur
Ephi_Gur@EGRCI.com
Phone : +1 919 412 3061